



JINAN MORAL

INTERNATIONAL CO., LTD

SHANDONG · JINAN

Vertical system

MORAL LIFT

Better On Every Level


Effective Solutions To Various Lifts

We Plan, Design, Manufacture And Install.....



Why MORAL LIFT? Why Are People Choosing MORAL LIFT?

MORAL LIFT Brand Introduction



MORALLIFT MISSION

- Being a high-end brand with sustainable development, constantly improving its own value and sharing it with the customers and staff.
- Provide exceptional customer service coupled with quality products and lifting solutions.

MORALLIFT CORE VALUES

- Sensible and Trustworthy
- Positive Development
- Progress and Innovation
- Gratitude and Self-evaluation

MORALLIFT VISION

- To share common pursuit of understanding, learning, ethics and gratitude
- To realize the values of life and the pursuit of happiness
- To be honest and innovate, To execute, and evaluate oneself
- To create mutual understanding and to progress together with the clients

MOBILE LOADING RAMP



Mobile Hydraulic Dock Ramp is a special auxiliary equipment for loading and unloading of goods rapidly. Its height adjustment feature allows forklifts and other moving vehicles to enter into the truck directly and handle the goods. The dock ramp is mobile and controlled by manual hydraulic system, so only one person could operate it conveniently. It enables you to reduce the amount of labor and raise working efficiency.

If you need special size yard ramp, we also can customize for you.

MAIN FEATURE

Model #	Load Capacity	Working height Range(m)	Maximum elevations	Overall Dimensions(m)	Operation Method
YDCQ-5	5	1.0~1.7	$\leq 13^\circ$	11×2.08×1.3	Manually or electrical drive
YDCQ-6	6	1.0~1.7	$\leq 13^\circ$	11×2.08×1.3	Manually or electrical drive
YDCQ-8	8	1.0~1.7	$\leq 13^\circ$	11×2.08×1.3	Manually or electrical drive
YDCQ-10	10	1.0~1.7	$\leq 13^\circ$	11×2.08×1.3	Manually or electrical drive
YDCQ-12	12	1.0~1.7	$\leq 13^\circ$	11×2.08×1.3	Manually or electrical drive
YDCQ-15	15	1.0~1.7	$\leq 13^\circ$	11×2.08×1.3	Manually or electrical drive

PRODUCT SHOW



MAIN FEATURE

- Stationary hydraulic yard ramp is also called stationary dock leveler, which is variously used in logistics, warehouse work as accessory equipment.
- The yard ramp can be fixed on the pit that is deserved in the platform, and it will adjust the height to the cargo trucks.
- This equipment can save labor work and promote the efficiency safely and conveniently.
- The stationary yard ramp is operated easily with electricity and hydraulic power. It is classified to five kinds by carrying-weight capacity, such as 6T, 8T, 10T, 12T, 15T etc.

We also can customize according to your requirements

Model	Mobile capacity	Adjusting range	Table size	Total dimension	Lifting style
DCQ-5	5t	+300-250mm	2000x2000mm	2000x2000x600mm	electrical operation
DCQ-6	6t	+300-250mm	2000x2000mm	2000x2000x600mm	electrical operation
DCQ-8	8t	+300-250mm	2000x2000mm	2000x2000x600mm	electrical operation
DCQ-10	10t	+300-250mm	2000x2000mm	2000x2000x600mm	electrical operation
DCQ-12	12t	+300-250mm	2000x2000mm	2000x2000x600mm	electrical operation
DCQ-15	15t	+300-250mm	2000x2000mm	2000x2000x600mm	electrical operation
DCQ-5	5t	+400-300mm	2500x2000mm	2500x2000x600mm	electrical operation
DCQ-6	6t	+400-300mm	2500x2000mm	2500x2000x600mm	electrical operation
DCQ-8	8t	+400-300mm	2500x2000mm	2500x2000x600mm	electrical operation
DCQ-10	10t	+400-300mm	2500x2000mm	2500x2000x600mm	electrical operation
DCQ-12	12t	+400-300mm	2500x2000mm	2500x2000x600mm	electrical operation
DCQ-15	15t	+400-300mm	2500x2000mm	2500x2000x600mm	electrical operation

PRODUCT SHOW

